

Office Action Summary	Application No. 09/817,629	Applicant(s) ANTONIADES ET AL.	
	Examiner Dalzid Singh	Art Unit 2633	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication; even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 August 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,2,4,7-21 and 26-35 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,2,4,7-21 and 26-35 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

1. Claims 21 and 23 are objected to because of the following informalities:

Claim 21 is not listed in the claim listing. Claims 22-23 is indicated as cancelled, however, claim 23 is listed as original.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1, 2, 10-13, 20, 21, 26, 28 and 34 are rejected under 35 U.S.C. 103(a) as being unpatentable over Khaleghi et al (US Patent No. 6,040,933) in view of Chraplyvy et al (US Patent No. 5,225,922).

Regarding claims 1 and 20, as shown in Fig. 1, Khaleghi et al show channel equalization (i.e., optimizer) for transmission system between transmission terminal (12) and reception terminal (14) having at least two channel (for example, s1 – s4), the system comprising:

a processor (18) which determines an adjustment for equalizing an optical signal to noise ratio (OSNR) (see col. 7, lines 49-67 to col. 8, lines 1-30, Khaleghi et al

disclose method for equalizing each channel using predetermined equation for example, EQ. 2 in combination with EQ. 3 or the adjustment may be calculated using a predetermined reference channel); and,

a plurality of controllers; each controller associated with a transmitter in the transmission terminal, wherein each controller receives the reduced adjustment for an associated channel and provides the reduced adjustment to an associated transmitter (see col. 3, lines 29-31 and col. 8, lines 7-30; Khaleghi et al disclose that each transmitter has a control input for controlling optical power; therefore, based on this teaching, it is inherent that there exist a control unit on each transmitter in order to control optical power of the transmitter. Moreover, as shown in Fig. 1 and cited in col. 3, lines 27-29, since there are plurality of transmitters (Tx1 – Tx4) and each controller corresponds to each transmitter, therefore there must be plurality of controllers).

Khaleghi et al disclose that the equalizing system can be used to equalize channels at any location (see col. 5, lines 47-50) and differ from the claimed invention in that Khaleghi et al do not specifically disclose a telemetry link, which includes a processor, and which is disposed between the transmission terminal and the reception terminal. However, telemetry link provided between transmitter terminal and receiver terminal is well known. Chraplyvy et al is cited to show such well known concept. In Fig. 2, Chraplyvy et al show telemetry link (50), which include processor (56), provided between the transmitter terminal (18) and the receiver terminal (24). Therefore, it would have been obvious to an artisan of ordinary skill at the time the invention was made to provide such telemetry link as taught by Chraplyvy et al to the system of Khaleghi et al.

Art Unit: 2633

One of ordinary skill in the art would have been motivated to do such in order to monitor and maintain signal quality.

Furthermore, the combination of Khaleghi et al and Chraplyvy et al discloses equalizing signal to noise ratio by adjusting the optical channel and differs from the claimed invention in that the combination does not specifically disclose reducing the adjustment by one half of the OSNR equalization. However, as discussed above, the combination (see col. 7, lines 49-67 to col. 8; lines 1-30 of Khaleghi et al) clearly suggest that the optical channels is adjustable. Based on this teaching, it would have been obvious to an artisan at the time of the invention to adjust the optical channel such that the adjustment is reduced by one half of the OSNR equalization. Furthermore, where the general conditions of a claim are disclosed in the prior art, it is not inventive to discover the optimum or workable ranges by routine experimentation. *In re Swain et al.*, 33 CCPA (Patents) 1250, 156 F.2d 239, 70 USPQ 412; *Minnesota Mining and Mfg. Co. v. Coe*, 69 App D.C. 217, 99 F.2d 986, 38 USPQ 213; *Allen et al. v. Coe*, 77 App D.C. 324, 135 F.2d 11, 57 USPQ 136. In addition, discovery of an optimum value of a result effective variable in a known process is ordinarily within the skill of the art. *In re Antonie*, 559 F.2d 239, 618, 195 USPQ 6 (CCPA 1977); *In re Aller*, 42 CCPA 824, 220 F.2d 454, 105 USPQ 233 (1955). See also *In re Aller*, 105 USPQ 233 (CCPA 1955) and *In re Boesch*, 617 F.2d 272, 205 USPQ 215 (CCPA 1980). Therefore, it would have been obvious to adjust the optical channel to an optimum or workable value or range by routine experimentation.

Regarding claims 2 and 21, Khaleghi et al teach that the equalization is determined in accordance with a profile of the quality of the signal (see col. 8, lines 7-12, Khaleghi et al disclose calculation of OSNR to obtain predetermine amount of the adjustment; OSNR is related to quality profile of the signal, such as noise, see col. 4, lines 11-19, therefore the predetermined amount is determined in accordance with a profile of the quality of the signal).

Regarding claims 10 and 26, Khaleghi et al teach that the processor (18) receives measured signals of the OSNR and determines the adjustment in accordance with the measured signals (see col. 7, lines 49-67 to col. 8, lines 1-30, Khaleghi et al disclose method for equalizing each channel using predetermined equation for example, EQ. 2 in combination with EQ. 3 or the adjustment may be calculated using a predetermined reference channel).

Regarding claims 11 and 28, Khaleghi et al teach that the processor calculates the OSNR in accordance with physical parameters of the transmission system (see col. 8, lines 7-30, Khaleghi et al disclose calculation of OSNR to obtain predetermine amount of the adjustment; OSNR is related to quality profile of the signal, such as noise, produced by optical amplifier in the form of amplified spontaneous emission, see col. 4, lines 11-19, since optical amplifier is a physical component of the transmission system, therefore the predetermined amount is determined in accordance with physical parameters of the transmission system).

Regarding claims 12 and 13, Khaleghi et al disclose channel equalization (i.e., optimizer) for transmission system comprising controllers for controlling the transmitters

(see claim 1 for discussion of the controller) and differ from these claims in that Khaleghi et al do not specifically disclose that the controller are provided at the output of the transmitter or integral with the transmitters. However, it would have been a matter of design choice to an artisan of ordinary skill in the art to provide control of the transmitter at the output of the transmitter or integral of the transmitter. This supporting rationale is based on a recognition that claimed differences exist not as a result of an attempt by applicant to solve problem, but merely amounts to selection of location known to an artisan of ordinary skill as design choice.

4. Claims 7-9 rejected under 35 U.S.C. 103(a) as being unpatentable over Khaleghi et al (US Patent No. 6,040,933) in view of Khoe et al (US Patent No. 4,942,568).

Regarding claim 7, Khaleghi et al disclose channel equalization (i.e., optimizer) for transmission system between transmission terminal (12) and reception terminal (14) having at least two channel (for example, $s_1 - s_4$) comprising a processor (18). Khaleghi et al differ from this claim in that Khaleghi et al do not specifically disclose a wavelength selective switch on at least one location in the transmission system, said wavelength selective switch allowing each channel to be processed by said processor. However, such wavelength selective switch is well known. Khoe et al is cited to show the use of wavelength selective switch for allow each channel to be processed by the processor (40) (see figure 2, Khoe et al show wavelength selective switch (10) allowing each channel, (Σ_1 to Σ_N), coupled from coupler 13, to be processed by the processor (40)). Since information signal are transmitted in multiplexed fashion comprising of

multiple wavelengths, due to noise and signal degradation, each wavelength of the multiplexed signal varies in signal strength (i.e., optical power). Therefore, there needs to be a system which measures signal quality of the multiplexed signal or signal quality of each wavelength signal. Since the wavelength-selective switch of Khoe et al is well known, therefore it would have been obvious to an artisan of ordinary skill in the art to provide wavelength selective coupler of Khoe et al to the system of Khaleghi et al. One of ordinary skill in the art would have been motivated to do such in order to measure and monitor signal quality of each wavelength in order to equalize signal quality and provide a robust communication system.

Regarding claims 8 and 9, as discussed above, the combination of Khaleghi et al and Khoe et al teaches channel equalization (i.e., optimizer) for transmission system comprising wavelength selective coupler and differs from these claims in that the combination does not teach that the wavelength selective coupler can be located at plurality of locations or in the intermediate location of the transmission path. However, as the transmission line spans longer, it would have been obvious to provide the location of the wavelength selective switch at plurality of locations in the transmission path (including at the intermediate location) in order to obtain frequent measurements of the optical signal. As the transmission line spans longer, degradation of the signal quality increases, therefore, one of ordinary skill in the art would have been motivated to provide the wavelength switch coupler at plural location including the intermediate location of the transmission span in order to minimize or eliminate noise within the optical signal.

Art Unit: 2633

5. Claims 4, 14-19, 29 and 30-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Khaleghi et al (US Patent No. 6,040,933) in view of Chraplyvy et al (US Patent No. 5,225,922) and further in view of Swanson et al (US Patent No. 6,433,904).

Regarding claims 14 and 29, as shown in Fig. 1, Khaleghi et al show channel equalization (i.e., optimizer) for transmission system between transmission terminal (12) and reception terminal (14) having at least two channel (for example, $s_1 - s_4$), the system comprising:

a processor (18) which determines an adjustment for equalizing a predetermined characteristic for each channel (see col. 7, lines 49-67 to col. 8, lines 1-30, Khaleghi et al disclose method for equalizing each channel using predetermined equation for example, EQ. 2 in combination with EQ. 3 or the adjustment may be calculated using a predetermined reference channel); and,

a plurality of controllers, each controller associated with a transmitter in the transmission terminal, wherein each controller receives the reduced adjustment for an associated channel and provides the reduced adjustment to an associated transmitter (see col. 3, lines 29-31 and col. 8, lines 7-30, Khaleghi et al disclose that each transmitter has a control input for controlling optical power; therefore, based on this teaching, it is inherent that there exist a control unit on each transmitter in order to control optical power of the transmitter. Moreover, as shown in Fig. 1 and cited in col. 3, lines 27-29, since there are plurality of transmitters (Tx1 – Tx4) and each controller corresponds to each transmitter, therefore there must be plurality of controllers).

Khaleghi et al disclose that the equalizing system can be used to equalize channels at any location (see col. 5, lines 47-50) and differ from the claimed invention in that Khaleghi et al do not specifically disclose a telemetry link, which includes a processor, and which is disposed between the transmission terminal and the reception terminal. However, telemetry link provided between transmitter terminal and receiver terminal is well known. Chraplyvy et al is cited to show such well known concept. In Fig. 2, Chraplyvy et al show telemetry link (50), which includes processor (56), provided between the transmitter terminal (18) and the receiver terminal (24). Therefore, it would have been obvious to an artisan of ordinary skill at the time the invention was made to provide such telemetry link as taught by Chraplyvy et al to the system of Khaleghi et al. One of ordinary skill in the art would have been motivated to do such in order to monitor and maintain signal quality.

Furthermore, the combination of Khaleghi et al and Chraplyvy discloses channel equalization (i.e., optimizer) for transmission system comprising a processor for determining adjustment of optical power as discussed above and differ from these claims in that the combination does not specifically disclose that the adjustment is in accordance with fiber non-linearities of the system. However, it is well known in the optical communication that non-linearities of the transmission system is the function of optical power. As the optical power increases, non-linearities of the system increases. Swanson et al is cited to show such well known concept (see col. 2, lines 19-27). Therefore, it would have been obvious to an artisan of ordinary skill in the art to control optical power of the transmission system as discussed by the combination in order to

control fiber non-linearities of the transmission system. One of ordinary skill in the art would have been motivated to do this in order to increase signal to noise ratio of the system which will allow greater transmission capacity.

Regarding claims 4, 15, 17, 30 and 32, Khaleghi et al disclose channel equalization (i.e., optimizer) for transmission system comprising a processor for determining adjustment of optical power in accordance with a relative influence of noise as discussed above and differ from these claims in that Khaleghi et al do not specifically disclose that the adjustment is in accordance with fiber non-linearities of the system. However, it is well known in the optical communication that non-linearities of the transmission system is the function of optical power. As the optical power increases, non-linearities of the system increases. Swanson et al is cited to show such well known concept (see col. 2, lines 19-27). Therefore, it would have been obvious to an artisan of ordinary skill in the art to control optical power of the transmission system as discussed by Khaleghi et al in order to control fiber non-linearities of the transmission system. One of ordinary skill in the art would have been motivated to do this in order to increase signal to noise ratio of the system which will allow greater transmission capacity.

Regarding claims 16 and 31, Khaleghi et al teach that the predetermined amount is determined in accordance with a profile of the quality of the signal (see col. 8, lines 7-12, Khaleghi et al disclose calculation of OSNR to obtain predetermine amount of the adjustment; OSNR is related to quality profile of the signal, such as noise, see col. 4, lines 11-19, therefore the predetermined amount is determined in accordance with a profile of the quality of the signal).

Regarding claim 18 and 33, Khaleghi et al teach that the processor (18) receives measured signals of the predetermined characteristic and determines the adjustment in accordance with the measured signals (see col. 7, lines 49-67 to col. 8, lines 1-30, Khaleghi et al disclose method for equalizing each channel using predetermined equation for example, EQ. 2 in combination with EQ. 3 or the adjustment may be calculated using a predetermined reference channel).

Regarding claims 19 and 35, Khaleghi et al teach that the processor calculates the predetermined characteristic in accordance with physical parameters of the transmission system (see col. 8, lines 7-30, Khaleghi et al disclose calculation of OSNR to obtain predetermine amount of the adjustment; OSNR is related to quality profile of the signal, such as noise, produced by optical amplifier in the form of amplified spontaneous emission, see col. 4, lines 11-19, since optical amplifier is a physical component of the transmission system, therefore the predetermined amount is determined in accordance with physical parameters of the transmission system).

Regarding claim 34, as shown in Fig. 4 and cited in col. 7, lines 32-54, Khaleghi et al show that receiving of the optical signal is from at least one of the reception terminal (Rx5 or Rx6) and a non-terminal point in the transmission system (Khaleghi et al show that receiving of the optical signal is from the reception terminal shown as Rx 5 or Rx6).

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dalzid Singh whose telephone number is (571) 272-3029. The examiner can normally be reached on Mon-Fri 9am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jason Chan can be reached on (571) 272--3022. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

DS
August 20, 2005

Dalzid Singh

Notice of References Cited	Application/Control No. 09/817,629	Applicant(s)/Patent Under Reexamination ANTONIADES ET AL.	
	Examiner Dalzid Singh	Art Unit 2633	Page 1 of 1

U.S. PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Name	Classification
	A	US-5,225,922	07-1993	Chraplyvy et al.	398/94
	B	US-6,040,933	03-2000	Khaleghi et al.	398/1
	C	US-			
	D	US-			
	E	US-			
	F	US-			
	G	US-			
	H	US-			
	I	US-			
	J	US-			
	K	US-			
	L	US-			
	M	US-			

FOREIGN PATENT DOCUMENTS

*		Document Number Country Code-Number-Kind Code	Date MM-YYYY	Country	Name	Classification
	N					
	O					
	P					
	Q					
	R					
	S					
	T					

NON-PATENT DOCUMENTS

*		Include as applicable: Author, Title Date, Publisher, Edition or Volume, Pertinent Pages)
	U	
	V	
	W	
	X	

*A copy of this reference is not being furnished with this Office action. (See MPEP § 707.05(a).)
Dates in MM-YYYY format are publication dates. Classifications may be US or foreign.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/817,629	03/26/2001	Neophytos A. Antoniadis	CRNG.010 SP01-024	6884

7590

08/24/2005

Susan Morse
Suite 150
12200 Sunrise Valley Drive
Reston, VA 20191

EXAMINER

SINGH, DALZID E

ART UNIT	PAPER NUMBER
----------	--------------

2633


DATE MAILED: 08/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

RECEIVED
OICE/IAP

SEP 13 2005

Organization **IC 2600** Bldg./Room **1aff**
U. S. DEPARTMENT OF COMMERCE
COMMISSIONER FOR PATENTS
P.O. BOX 1450
ALEXANDRIA, VA 22313-1450
IF UNDELIVERABLE RETURN IN TEN DAYS
OFFICIAL BUSINESS



AN EQUAL OPPORTUNITY EMPLOYER




UNITED STATES POSTAGE
U.S. OFFICE
PENALTY
PRIVATE U.S. MAIL
\$01
02 1A
0004205065
AUG 24
MAILED FROM ZIP CODE

NIXIE


2128 1

04 09/06/05

RETURN TO SENDER
NOT DELIVERABLE AS ADDRESSED
UNABLE TO FORWARD
RETURN TO SENDER



Handwritten signature or initials.



BEST AVAILABLE COPY